



DANYANG HONEST TOOLS CO.,LTD


丹阳市奥尼斯工具有限公司





致全世界的朋友！

To all of you ,our friends!



HONEST TOOLS是来自中国的金刚石工具的制造商，公司成立于2008年。公司致力于金刚石工具行业的探索、创新，服务于客户，为用户创造价值；以产品为核心竞争力，用严谨的工作流程和工匠精神，全力打造中国一流的金刚石工具制造商；以世界一流为奋斗目标，传承品牌，美誉全球。

奥尼斯的企业经营理念：

没有外资企业，内资企业的区分，只有诚信经营的企业；

没有大企业，小企业的区分，只有诚信经营的企业。

唯一的理念，让客户、用户，真正的体会到不再为质量而担心的一个诚信经营的企业。

以诚待人，以信立业，结交全世界的朋友！

2015年8月16日

HONEST TOOLS is the diamond tools manufacturer from China, Established in 2008, it is committed to the exploration and innovation in this area, so as to offer better service to our customers and create values for them.

With our products as the core competitiveness, along with our rigorous work processes and spirits, HONEST TOOLS is devoted to be the first-class diamond tools manufacturer in China. With the goal of being the world-class, we will inherit brands and hope to get more praise around the world.

Our business principle :

No distinction between foreign enterprises and domestic enterprises, only honest and faithful enterprise;

No distinction between big enterprises and small enterprises, only honest and faithful enterprise;

Our only principle:

Make our customers feel HONEST TOOLS is a real reputable , reliable and responsible enterprise with guaranteed quality.

Finally, we' d like to make friends all over the world sincerely and cooperate with you honestly!

Thank you!

Aug 16, 2015



IN FUTURE FIVE YEAR'S PLAN



客户签名/日期
customer signed/date

奥尼斯签名/日期
honest signed/date



-  **安全
尽心** 高强度的刀头与基体的结合力
-  **锋利
放心** 高效的加工效率，稳定的品质
-  **极致
精心** 最优化的配方，专业市场区分更精细
-  **专注
用心** 工匠精神的做工，用细节来考量

Type of Equipment



Angle grinder



Circular saw



Stone saw



Tile saw



Flat saw



Grooving saw



Walk behind
saw low hp



Floor grinder



High speed
power saw



Masonry saw



Core drilling
machine



Hand drill



Tuck pointer



Laser



Brazed



Dry



Wet



目录

Contents

1. ▶ 金刚石锯片 01
DIAMOND SAW BLADE
2. ▶ 金刚石磨轮、磨块 08
DIAMOND CUP WHEEL
3. ▶ 金刚石打孔钻 11
DIAMOND CORE DRILL BITS
4. ▶ 金刚石雕刻工具 16
DIAMOND CARVING TOOLS
5. ▶ 金刚石刀头 17
DIAMOND SEGMENT
6. ▶ 硬质合金锯片 18
T.C.T SAW BLADE


| 激光焊接锯片

LASER WELDED BLADES


- **Application:** Designed for high performance-cutting of an extensive range of masonry materials and concrete including bricks, blocks, slate, stone, etc.
- **用途:** 切割混凝土、砖块、石块等
- Different arbor size and segment specification are available upon request!
- 不同的孔径和刀头尺寸可以提供

OUTER DIAMETER		SEGMENT HEIGHT(MM)	SEGMENT THICKNESS (MM)	BORE DIAMETER (MM)
INCH	MM			
4"	105	8\10	2.4	20/22.23
4.5"	115	8\10	2.4	20/22.23
5"	125	8\10	2.4	20/22.23
6"	150	8\10	2.4	22.23
7"	180	8\10	2.6	22.23
8"	200	8\10	2.6	22.23
9"	230	8\10	2.8	22.23
10"	250	8\10	3.0	22.23/25.4
12"	300	8\10	3.4	25.4\50
14"	350	8\10	3.4	25.4\50
16"	400	8\10	3.6	25.4\50
18"	450	8\10	3.8	25.4\50
20"	500	8\10	4.0	25.4\50
24"	600	8\10	4.8	25.4\50

NOTE / 洽谈记录




- * HERE IS THE EFFECTIVE WAY TO REDUCE THE WEAR ON STEEL CORE:
* 以下是几种有效方式用于保护基体



DIAMOND OR CARBIDE
EMBEDDED PROTECTION
金刚石或硬合金
金嵌入保护



DECLINE HEAD
PROTECTION
倾斜刀头保护




SHAPED HEAD
PROTECTION
异形刀头保护



SILVER BRAZED BLADES

- | OUTER DIAMETER | | SEGMENT
HEIGHT(MM) | SEGMENT
THICKNESS
(MM) | BORE
DIAMETER
(MM) |
|----------------|-----|-----------------------|------------------------------|--------------------------|
| INCH | MM | | | |
| 12" | 300 | 8\10 | 3 | 25.4\50 |
| 14" | 350 | 8\10 | 3.2 | 25.4\50 |
| 16" | 400 | 8\10 | 3.4 | 25.4\50 |
| 18" | 450 | 8\10 | 3.6 | 25.4\50 |
| 20" | 500 | 8\10 | 3.6 | 50\60 |
| 24" | 600 | 8\10 | 4.4 | 50\60 |





高频焊接锯片

SILVER BRAZED BLADES

- **Application:** Specially for cutting marble slab or ceramic tiles, the variety of segments can be designed according to different job requirements or different cutting material's hardness. Consideration of environmental requirements and operator safety, the body of blade have steel components to reduce cutting noise.
- **用途:** 专门为切割大理石板或瓷砖，可以根据工作要求或切割材料的坚硬程度设计多种刀头。
- Different arbor size and segment specification are available upon request!
- 不同的孔径和刀头尺寸可以提供

OUTER DIAMETER		SEGMENT HEIGHT(MM)	SEGMENT THICKNESS (MM)	BORE DIAMETER (MM)
INCH	MM			
12"	300	8\10	3	25.4\50
14"	350	8\10	3.2	25.4\50
16"	400	8\10	3.4	25.4\50
18"	450	8\10	3.6	25.4\50
20"	500	8\10	3.6	50\60
24"	600	8\10	4.4	50\60
28"	700	8\10	4.8	50\60
32"	800	8\10	5.5	50\60
36"	900	10\12	5.5	80\100
40"	1000	10\12	6.8	80\100
48"	1200	10\12	7.3	80\100
60"	1500	10\12	7.8	100\120
64"	1600	10\12	8.5	100\150






标准刀头
Normal
Segment

分离刀头
Split
Segment

凹口刀头
Notch
Segment

NOTE / 访谈记录



热压烧结锯片

HOT PRESS SINTERED BLADES

- Application: For granite, marble, masonry, concrete and other construction
- 用途: 用于花岗岩、大理石、石材和混凝土等建筑材料。
- Different arbor size and segment specification are available upon request!
- 不同的孔径和刀头尺寸可以提供

OUTER DIAMETER		SEGMENT HEIGHT(MM)	SEGMENT THICKNESS (MM)	BORE DIAMETER (MM)
INCH	MM			
4"	105	7\10	1.8\2	20
4.3"	110	7\10	1.8\2	22.23
4.5"	115	7\10	1.8\2	22.23
5"	125	7\10	1.8\2	22.23
6"	150	7\10	2\2.4	22.23
7"	180	7\10	2.2\2.6	22.23
8"	200	7\10	2.2\2.6	22.23
9"	230	7\10	2.4\2.8	22.23
10"	250	7\10	2.6\3.0	25.4
12"	300	7\10	2.8\3.2	25.4
14"	350	7\10	3\3.4	25.4

NOTE/ 洽谈记录

热压烧结锯片

HOT PRESS SINTERED BLADES

- **Application:** Specially for cutting marble slab or ceramic tiles,the variety of segments can be designed according to different job requirements or different cutting material's hardness.Consideration of environmental requirements and operator safety,the body of blade have steel components to reduce cutting noise.
- **用途:** 专门为切割大理石板或瓷砖, 可以根据工作要求或切割材料的坚硬程度设计多种刀头。
- Different arbor size and segment specification are available upon request!
- 不同的孔径和刀头尺寸可以提供

OUTER DIAMETER		SEGMENT HEIGHT(MM)	SEGMENT THICKNESS (MM)	BORE DIAMETER (MM)
INCH	MM			
4"	105	7\10	1.8\2	20
4.3"	110	7\10	1.8\2	22.23
4.5"	115	7\10	1.8\2	22.23
5"	125	7\10	1.8\2	22.23
6"	150	7\10	2\2.4	22.23
7"	180	7\10	2.2\2.6	22.23
8"	200	7\10	2.2\2.6	22.23
9"	230	7\10	2.4\2.8	22.23
10"	250	7\10	2.6\3.0	25.4
12"	300	7\10	2.8\3.2	25.4
14"	350	7\10	3\3.4	25.4

NOTE / 访谈记录

OUTER DIAMETER		SEGMENT HEIGHT(MM)	SEGMENT THICKNESS (MM)	BORE DIAMETER (MM)
INCH	MM			
A		7	1.2	25.4/50
B 10"	250	7	1.6	25.4/50
C		7	2.0	25.4/50
A		7	1.4	25.4/50
B 12"	300	7	1.8	25.4/50
C		7	2.2	25.4/50
A		7	1.6	25.4/50
B 14"	350	7	2.0	25.4/50
C		7	2.4	25.4/50







HOT PRESS SINTERED SUPER THIN TURBO

- **Application:** Super thin segment for chip-free & fast cutting of hard porcelain and other hard materials
- **用途:** 超薄刀头是切割更锋利, 不崩边, 用于切割硬质陶瓷和其他超硬材料。
- Different arbor size and segment specification are available upon request!
- 不同的孔径和刀头尺寸可以提供

OUTER DIAMETER		SEGMENT HEIGHT(MM)	SEGMENT THICKNESS (MM)	BORE DIAMETER (MM)
INCH	MM			
4"	105	7\10	1.2	20
4.3"	110	7\10	1.2	22.23
4.5"	115	7\10	1.4	22.23
5"	125	7\10	1.4	22.23
6"	150	7\10	1.8	22.23
7"	180	7\10	1.8	22.23
8"	200	7\10	1.8	22.23
9"	230	7\10	2	22.23

NOTE / 洽谈记录



冷压烧结锯片

COLD PRESS SINTERED BLADES

- **Application:** For granite,marble,masonry,concrete and other construction
- **用途：**用于花岗岩、大理石、石材和混凝土等建筑材料。
- **Different arbor size and segment specification are available upon request!**
- **不同的孔径和刀头尺寸可以提供**

OUTER DIAMETER		SEGMENT HEIGHT(MM)	SEGMENT THICKNESS (MM)	BORE DIAMETER (MM)
INCH	MM			
4"	105	7\10	1.8\2.2	20
4.3"	110	7\10	1.8\2.2	22.23
4.5"	115	7\10	1.8\2.2	22.23
5"	125	7\10	2\2.4	22.23
6"	150	7\10	2\2.4	22.23
7"	180	7\10	2.2\2.6	22.23
8"	200	7\10	2.2\2.6	22.23
9"	230	7\10	2.4\2.8	22.23
10"	250	7\10	2.6\3.0	25.4
12"	300	7\10	2.8\3.2	25.4
14"	350	7\10	3\3.4	25.4

NOTE / 访谈记录

CONSTRUCTION TOOLS-GRINDING BLOCK

建筑混凝土工具-磨块


To be the first-class diamond tools manufacturer in China/做中国一流的金刚石工具制造商



| 高频焊接地坪磨块

SILVER BRAZED GRINDING BLOCK


- **Application:** Design for fast grinding and long life of building materials, like: granite, marble, concrete and concrete products, masonry materials, and all types of natural stone.
- **用途:** 用于研磨抛光花岗岩, 大理石, 混凝土和混凝土制品, 各种天然石材
- Different arbor size and segment specification are available upon request!
- 不同的孔径和刀头尺寸可以提供



16#



30#



40#



50#




60#



80#



150#



300#

CONSTRUCTION TOOLS

NOTE / 洽谈记录

WELDED CUP WHEELS

- **Application:** Design for fast grinding and long life of building materials, like: granite, marble, concrete and concrete products, masonry materials, and all types of natural stone.
- **用途:** 用于研磨抛光花岗岩, 大理石, 混凝土和混凝土制品, 各种天然石材
- Different arbor size and segment specification are available upon request!
- 不同的孔径和刀头尺寸可以提供

OUTER DIAMETER		SEGMENT HEIGHT(MM)	SEGMENT THICKNESS (MM)	BORE DIAMETER (MM)
INCH	MM			
4"	105	8\20	5\10	22.23
4.5"	115	8\20	5\10	22.23
5"	125	8\20	5\10	22.23
6"	150	8\20	5\10	22.23
7"	180	8\20	5\10	22.23
9"	230	8\20	5\10	22.23


NOTE / 访谈记录

冷压烧结磨轮

- **Application:** Design for fast grinding and long life of building materials, like: granite, marble, concrete and concrete products, masonry materials, and all types of natural stone.
- **用途：**用于研磨抛光花岗岩，大理石，混凝土和混凝土制品，各种天然石材
- Different arbor size and segment specification are available upon request!
- 不同的孔径和刀头尺寸可以提供




OUTER DIAMETER		SEGMENT HEIGHT(MM)	SEGMENT THICKNESS (MM)	BORE DIAMETER (MM)
INCH	MM			
4"	105	8\20	5\10	22.23
4.5"	115	8\20	5\10	22.23
5"	125	8\20	5\10	22.23
6"	150	8\20	5\10	22.23
7"	180	8\20	5\10	22.23
9"	230	8\20	5\10	22.23




NOTE / 访谈记录

基体示意图


Matrix Diagram



A



B




C

$$A = R \cdot \frac{1}{2} \cdot (\text{GAS} \cdot \frac{1}{2})$$

B=5/8"-11 UNC

C=1 1/4" UNC

D=W 1 1/4"



D

DIY TOOLS-CORE BITS

通用DIY工具-打孔钻

To be the first-class diamond tools manufacturer in China/做中国一流的金刚石工具制造商



| 金刚石空心钻头干型


Diamond Core Drill Bits(DCL), Dry Type

*DCL产品用于钻砖、石或轻质混凝土结构的墙体，它非常便于操作，经济性能优于传统的硬质合金刀头。

DCL products for drilling brick, stone or light concrete wall, it is very easy to operate, performance better than traditional segments

ITEMNO.	* EFF LEGNT	DIAMETER(mm)		SEGMENT DIMENTION(mm)			
		O.D	I.D	LEGNT	WIDTH	HEIGHT	Q'TY
DCL12	300	12	8	RING	2.5	7	1
DCL14	300	14	9	RING	2.5	7	1
DCL16	300	16	11	RING	2.5	7	1
DCL18	300	18	13	RING	2.5	7	1
DCL20	300	20	15	RING	2.5	7	1
DCL22	300	22	17	RING	2.5	7	1
DCL24	300	24	19	RING	2.5	7	1
DCL26	300	26	20	16	3	7	3
DCL32	300	32	26	16	3	7	3
DCL38	300	38	31	24	3.5	7	3
DCL44	300	44	37	24	3.5	7	3
DCL52	300	52	45	24	3.5	7	4
DCL62	300	62	55	24	3.5	7	4
DCL72	300	72	65	24	3.5	7	5
DCL82	300	82	75	24	3.5	7	5
DCL92	300	92	85	24	3.5	7	6
DCL102	400	102	95	24	3.5	7	6
DCL112	400	112	104	24	4	7	7
DCL122	400	122	114	24	4	7	7
DCL132	400	132	124	24	4	7	8
DCL142	400	142	134	24	4	7	8
DCL152	400	152	144	24	4	7	8
DCL162	400	162	154	24	4	7	9
DCL172	400	172	164	24	4	7	9
DCL182	400	182	174	24	4	7	10
DCL202	400	202	194	24	4	7	10

DIY TOOLS



有效长度：有效长度可以根据需要调整
刀头高度：刀头高度可以根据需要调整
螺纹类型：请根据工作要求描述螺纹类型

Effective Length: Different effective length are available upon request!
Segment Height: Different segment height are available upon request!
Thread Type: Please describe the thread type

NOTE/ 洽谈记录



DIAMOND CORE BITS 金刚石打孔钻

To be the first-class diamond tools manufacturer in China/做中国一流的金剛石工具製造商




| 金刚石空心钻头湿型

Diamond Core Drill Bits(DCS)Wet Type

*用于各种钻探工作，从坚硬的钢筋混凝土到沥青，DCS产品都能发挥最高性能并满足客户要求。

For a variety of drilling working, from hard concrete to the asphalt, DCS products can achieve maximum performance and meet customer requirements

ITEMNO.	* EFF LEGNTH	DIAMETER(mm)		SEGMENT DIMENTION(mm)			
		O.D	I.D	LEGNTH	WIDTH	HEIGHT	Q'TY
DCS12	300	12	8	RING	2.5	7	1
DCS14	300	14	9	RING	2.5	7	1
DCS16	300	16	11	RING	2.5	7	1
DCS18	300	18	13	RING	2.5	7	1
DCS20	300	20	15	RING	2.5	7	1
DCS22	300	22	17	RING	2.5	7	1
DCS24	300	24	19	RING	2.5	7	1
DCS26	300	26	20	16	3	7	3
DCS32	300	32	26	16	3	7	3
DCS38	300	38	31	24	3.5	7	3
DCS44	300	44	37	24	3.5	7	3
DCS52	300	52	45	24	3.5	7	4
DCS62	300	62	55	24	3.5	7	5
DCS72	300	72	65	24	3.5	7	6
DCS82	300	82	75	24	3.5	7	7
DCS92	300	92	85	24	3.5	7	8
DCS102	400	102	95	24	3.5	7	8
DCS112	400	112	104	24	4	7	9
DCS122	400	122	114	24	4	7	10
DCS132	400	132	124	24	4	7	11
DCS142	400	142	134	24	4	7	12
DCS152	400	152	144	24	4	7	12
DCS162	400	162	154	24	4	7	13
DCS172	400	172	164	24	4	7	13
DCS182	400	182	174	24	4	7	14
DCS202	400	202	194	24	4	7	16
DCS225	450	225	217	24	4	7	15
DCS250	450	250	242	24	4	7	16
DCS300	450	300	290	20	5	7	20
DCS350	450	350	240	20	5	7	22
DCS400	450	400	390	20	5	7	24
DCS450	450	450	440	20	5	7	26
DCS500	450	500	490	20	5	7	30



有效长度：有效长度可以根据需要调整

刀头高度：刀头高度可以根据需要调整

螺纹类型：请根据工作要求描述螺纹类型

Effective Length: Different effective length are available upon request!

Segment Height: Different segment height are available upon request!

Thread Type: Please describe the thread type

* 螺纹类型 THREAD TYPE

TYPE	THREAD
A	R 1/2"(GAS 1/2")
B	8/5-11UNC
C	1 1/4" UNC
D	W 1 1/4"

NOTE/ 洽谈记录

DIAMOND CORE BITS 金刚石打孔钻

To be the first-class diamond tools manufacturer in China/做中国一流的金刚石工具制造商



| 石材打孔钻

DIAMOND STONE CORE DRILL BIT

- **Application:** Design for drilling stone , it is very easy to operate,performance better.
- **用途:** 用于石材的钻孔等, 便于操作, 经济性能优
- **Different arbor size and segment specification are available upon request!**
- **不同的孔径和刀头尺寸可以提供**

Effective Length: Different effective length are available upon request!

Segment Height: Different segment height are available upon request!

Thread Type: Please describe the thread type

有效长度：有效长度可以根据需要调整

刀头高度：刀头高度可以根据需要调整

螺纹类型：请根据工作要求描述螺纹类型



NOTE / 洽谈记录

DIAMOND CORE BITS

| 金刚石打孔钻

DIAMOND CORE DRILL BIT



- **Application:** Design for drilling stone , it is very easy to operate,performance better.
- **用途:** 用于石材的钻孔等,便于操作,经济性能优
- Different arbor size and segment specification are available upon request!
- 不同的孔径和刀头尺寸可以提供

Effective Length: Different effective length are available upon request!

Segment Height: Different segment height are available upon request!

Thread Type: Please describe the thread type

有效长度：有效长度可以根据需要调整

刀头高度：刀头高度可以根据需要调整

螺纹类型: 请根据工作要求描述螺纹类型





NOTE / 访谈记录




DIAMOND CARVING TOOLS 金剛石雕刻工具

To be the first-class diamond tools manufacturer in China/做中国一流的金刚石工具制造商




| 金刚石雕刻工具
DIAMOND CARVING TOOLS

- **Application:** Mini tools are designed for sculpturing and smooth grinding of granite and marble
- **用途:** 迷你工具用于大理石或花岗岩的雕刻、研磨。
- Different arbor size and segment specification are available upon request!
- 不同的孔径和刀头尺寸可以提供




NOTE / 访谈记录

DIAMOND CARVING TOOLS




(Control the space among diamond grits, wide (L0) or narrow (L1), as you want)




|有序排列刀头

ARIX SEGMENTS




See how different the cutting performance of ARIX products is from those of other diamond cutting tools. It is faster, more stable, and more sustainable.

- ARIX Technology
- Normal fast cut design
- Normal sustainable cut design
- Conventional products


种类	形状
波纹型	
凹孔型	
波纹型	
凹孔型	





标准型
Normal
Shape



梯 型
Trapezoidal
Shape



阶梯型
Stepped
Shape




NOTE / 洽谈记录

T.C.T SAW BLADE TOOLS

合金锯片


To be the first-class diamond tools manufacturer in China/做中国一流的金钻石工具制造商



I 切木合金锯片

T.C.T SAW BLADE FOR WOOD


- **Application:** These types of blades are suitable for ripping and cutting of hard and softwood in thinner sections as well as for cross-cutting.
- **用途:** 切木片适用于切木材等较软材质
- Different arbor size and segment specification are available upon request!
- 不同的孔径和刀头尺寸可以提供



I 切铝合金锯片

T.C.T SAW BLADE FOR ALUMINIUM

- **Application:** For cutting Aluminium
- **用途:** 用于切割铝质材料
- Different arbor size and segment specification are available upon request!
- 不同的孔径和刀头尺寸可以提供




T.C.T SAW BLADE TOOLS



I 切铁合金锯片

T.C.T SAW BLADE FOR METAL

- **Application:** For cutting aluminum and other metal profiles, pipes, etc.
- **用途:** 切割铝和其他金属型材、管道等。
- Different arbor size and segment specification are available upon request!
- 不同的孔径和刀头尺寸可以提供





| 丹阳市奥尼斯工具有限公司

地址：江苏省丹阳市丹北镇后巷飞达工业园

联系电话：0086-511-86058682 0086-15189161116

客服中心：0086-511-86058685 0086-15189161116

传真：0086-511-86058687

邮件：honest@honest-diamond.com

| DANYANG HONEST TOOLS CO.,LTD

ADD:Houxiang Feida Industrial Park,Danbei Town,
Danyang City,Jiangsu Province,China

Export Department:

Tel: 0086-511-86058682 0086-15189156789

Fax: 0086-511-86058687

Email: honest@honest-diamond.com

